L Number	Hits	Search Text	DB	Time stamp
1	12	(oriented with message same	USPAT;	2004/01/13 10:26
-		transaction).ab.	US-PGPUB;	, ==, == =====
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	87	(oriented near2 message).ab.	USPAT;	2004/01/13 10:28
		· ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
[IBM_TDB	
3	30	(oriented adj2 message).ab.	USPAT;	2004/01/13 10:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
4	147	(class near2 message).ab.	USPAT;	2004/01/13 10:30
1	11	(Class Heal2 Message / .as.	US-PGPUB;	2001,01,13 10.30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	4	(class near2 message same transaction	USPAT;	2004/01/13 10:31
1	, i).ab.	US-PGPUB;	
[i			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	11	(class near2 message same oriented).ab.	USPAT;	2004/01/13 11:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_		/5 4E3 E40) mm	IBM_TDB	2004/01/12 11:27
7	2	(6,473,740).pn.	USPAT;	2004/01/13 11:37
			US-PGPUB;	
	1		EPO; JPO; DERWENT;	,
			IBM TDB	
8	190920	(sav\$3 with network\$3 available).ab.	USPAT;	2004/01/13 11:38
	230320	(34,10 ,100,101,100,101,100,101,101,101,101	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
9	16	(sav\$3 with network\$3 with available).ab.	USPAT;	2004/01/13 11:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	/	IBM_TDB	2004/01/12 11 10
10	7	(sav\$3 with message with available).ab.	USPAT; US-PGPUB;	2004/01/13 11:40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	. 1	(sav\$3 with message with available with	USPAT;	2004/01/13 11:40
	_	connection\$1).ab.	US-PGPUB;	
		· '	EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
12	13	(sav\$3 with available with	USPAT;	2004/01/13 11:43
		connection\$1).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(42	IBM_TDB	2004/01/13 11 15
13	63	(sav\$3 with network with	USPAT;	2004/01/13 11:45
		connection\$1).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
14	0	(sav\$3 with network with connection\$1 &	USPAT;	2004/01/13 11:44
	"	busy).ab.	US-PGPUB;	2001,01,15 11.44
		2007/ .00.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	<u> </u>	<u> </u>	<u> </u>	

15	4	(sav\$3 with connection\$1 with busy).ab.	USPAT; US-PGPUB; EPO; JPO;	2004/01/13 11:46
			DERWENT; IBM_TDB	
16	3	(sav\$3 with network\$3 with busy).ab.	USPAT; US-PGPUB; EPO; JPO;	2004/01/13 11:53
17	16	(sav\$3 with network\$3 with busy)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/13 11:56
			EPO; JPO; DERWENT; IBM_TDB	
18	109	(stor\$3 with network\$3 with busy).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/13 11:56
			IBM_TDB	
19	0	<pre>(stor\$3 with network\$3 with busy same availabe).ab.</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/01/13 11:56
			DERWENT; IBM TDB	
20	8	<pre>(stor\$3 with network\$3 with busy same available).ab.</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/01/13 11:58
			DERWENT;	
21	12	(stor\$3 with connection\$1 with busy	IBM_TDB USPAT;	2004/01/13 12:01
		same available).ab.	US-PGPUB; EPO; JPO;	
			DERWENT;	
22	О	(sav\$3 with connection\$1 with busy same available).ab.	IBM_TDB USPAT; US-PGPUB;	2004/01/13 11:59
			EPO; JPO; DERWENT;	
22		/ access with the properties with house some	IBM_TDB	2004/01/13 12:02
23	0	(sav\$3 with transmi\$6 with busy same available).ab.	USPAT; US-PGPUB;	2004/01/13 12:02
	!		EPO; JPO; DERWENT;	
24	8	(stor\$3 with transmi\$6 with busy same	IBM_TDB USPAT;	2004/01/13 12:02
47	°	available).ab.	US-PGPUB;	2001/01/13 12.02
			EPO; JPO; DERWENT;	
_	6	(task with controll\$3) same (alert with	IBM_TDB USPAT;	2004/01/05 14:16
		interrupt\$3)	US-PGPUB; EPO; JPO;	,,
			DERWENT;	
_	8	(shell near2 command) same interrupt\$3	IBM_TDB USPAT;	2003/05/07 15:36
		_ `	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	59	,	IBM_TDB USPAT;	2003/05/07 15:37
	!	interrupt\$3).ab.	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	4	(scheduler\$3 same task\$3 same interrupt\$3).ti.	USPAT; US-PGPUB;	2003/05/07 15:43
		Interruptes/.er.	EPO; JPO;	
			DERWENT; IBM_TDB	

-	538	(device near "2" expanding near2 WWW	USPAT;	2004/01/05 14:19
		near2 Browser near2 function).ti.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(4, 14, 14, 14)	IBM_TDB	
-	2	(6,418,464 B1).pn.	USPAT;	2004/01/05 14:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		()	IBM_TDB	
_	2	(5,930,792).pn.	USPAT;	2004/01/05 14:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2	(5 006040) mm	IBM_TDB	2004/01/05 15 27
_		(5,826242).pn.	USPAT;	2004/01/05 15:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l _	2	(5,938,775).pn.	IBM_TDB USPAT;	2004/01/06 10:26
_	_	(5,936,775).pii.		2004/01/06 10:26
İ			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	((mail near2 daemon) with (controll\$3 or	USPAT;	2004/01/05 16:49
		order\$3)).ab.	US-PGPUB;	2004/01/05 16:49
		oracips,,.ab.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	((mail near2 daemon)).ab.	USPAT;	2004/01/05 16:49
		((US-PGPUB;	2001,01,03 10.13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	((mail near2 daemon) with (controll\$3 or	USPAT;	2004/01/05 16:49
		order\$3))	US-PGPUB;	=====================================
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	((mail with daemon) with (controll\$3 or	USPAT;	2004/01/05 16:50
		order\$3)).ab.	US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	
			IBM_TDB	
-	5	((mail with daemon)).ab.	USPAT;	2004/01/05 16:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
]		1 111 / 11	IBM_TDB	
_	67	(server with (id or identif\$3) with	USPAT;	2004/01/06 10:27
	ĺ	port\$1).ab.	US-PGPUB;	
	ĺ		EPO; JPO;	
	ĺ		DERWENT;	
_	1	(server with (id or identified) with	IBM_TDB	2004/01/06 10 00
	1	(server with (id or identif\$3) with port\$1 same dispatch\$3).ab.	USPAT;	2004/01/06 10:29
	ĺ	porcyr same drspatches /.ab.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	(server with dispatch\$3 with port\$1).ab.	USPAT;	2004/01/06 10:33
		, grante matte sapparonyo mion portoyi / ab.	US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	51	(server with dispatch\$3 with port\$1)	USPAT;	2004/01/06 10:33
		, <u>.</u>	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
				·

	0	(server with dispatch\$3 with port\$1)	USPAT;	2004/01/06 10:34
_	1	same CCDS	US-PGPUB;	2004/01/06 10:34
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(server with dispatch\$3 with port\$1) &	USPAT;	2004/01/06 10:34
		CCDS	US-PGPUB; EPO; JPO;	•
			DERWENT;	
			IBM TDB	
_	4	(server with dispatch\$3 same port\$1	USPAT;	2004/01/06 10:37
).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	23	(shar\$3 with server with port\$1).ab.	IBM_TDB USPAT;	2004/01/06 10:57
	23	\ Sharys with server with poreyr ab.	US-PGPUB;	2004/01/00 10.5/
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((shar\$3 with server with port\$1	USPAT;	2004/01/06 10:57
).ab.) & (switch\$3 with matric)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	((shar\$3 with server with port\$1	USPAT;	2004/01/06 10:58
).ab.) & (close with television with	US-PGPUB;	,
		switch\$3)	EPO; JPO;	
			DERWENT;	
_	1	((close with television with	IBM_TDB USPAT;	2004/01/06 10:59
	1	switch\$3) same port\$1).ab.	US-PGPUB;	2004/01/00 10.55
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/04/05 44 04
-	5	(CCTV same port\$1).ab.	USPAT; US-PGPUB;	2004/01/06 11:01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((CCTV near2 switch\$3 near2 matrix	USPAT;	2004/01/06 11:13
)same port\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	1	((CCTV near2 switch\$3 near2 matrix)	USPAT;	2004/01/06 15:17
1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	(5,938,775).pn.	USPAT;	2004/01/06 16:12
		, -,,,,,,,,,,,,,,,,,,,	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
	3050	/ malamatina	IBM_TDB	2004/03/05 35 35
_	1259	(selective with radio with receiver).ti.	USPAT; US-PGPUB;	2004/01/06 16:19
		TECETAET ('CT'	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	((selective with radio with	USPAT;	2004/01/06 16:31
		receiver).ti.) & Matsuhashi	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2	(5,938,775).pn.	USPAT;	2004/01/06 16:32
		<u>-</u>	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	<u> </u>

- 0	((dynamic near2 bases near2 object) same content).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12 16:45
- О	((dynamic near2 bases near2 object)).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 16:45
- 3	((dynamic near2 base near2 object)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:06
- 2	((dynamic with base with object with server)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:08
- 2	((dynamic with base with object same server)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:09
- 63	((dynamic with base with object)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:09
- 2	((dynamic with base with object & server)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:09
- 63	((dynamic with base with object)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:11
- 17	((dynamic with (base near2 object))).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:13
- 2	((dynamic with (base near2 object)) same digital).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:11
- О	((dynamic with (base near2 object) & transaction)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:12
- О	((dynamic with (base near2 object) & transaction)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:13
- 5	(((dynamic with base with object)).ab.) & transaction	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:22
- 33	(central with authenticat\$6 same transaction).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 17:25

-	0	((central with authenticat\$6 same	USPAT;	2004/01/12 17:24
		transaction).ab.) & oreinted	US-PGPUB;	İ
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	((central with authenticat\$6 same	USPAT;	2004/01/12 17:24
		transaction).ab.) & oriented	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(central with authenticat\$6 same	USPAT;	2004/01/13 10:25
		transaction same content).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	(request with orient\$3 with transaction	USPAT;	2004/01/12 17:38
İ).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	